

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4532	709/202	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:22
L2	4532	709/202	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:22
L3	5460	((709/202) or (714/26) or (714/11) or (714/4) or (714/5)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 00:23
L4	79	"5,835,775".pn. "6,049,668".pn. "6,513,057".pn. "6,381,693".pn. "7,080,242".pn. "7,134,007".pn. "5,359,721".pn. "20030188045""7,143,419" "6,446,218" "20050081187" "20040181785" "5,307,495".pn. "6,981,072".pn. "7,167,916".pn. "20030045612" "7,043,579" "5,630,128"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:23
L5	24	"7,124,170".pn. "5,754,817".pn. "5,887,186".pn. "5,490,278".pn. "6,463,521".pn. "7,127,709".pn. "6,292,935".pn. "6,704,926".pn. "7,174,544".pn. "6,966,057".pn. "4,394,727".pn. "5,185,861".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:23

EAST Search History

L6	424	"4,862,354" "6,473,897" "4,787,057" "5,548,798" "20030074650" "6,480,818" "5,887,186" "5,490,278" "20030071840" "20040123188" "6,966,015" "20020120886" "5,692,193" "5,560,030" "5,689,722" "5,978,831" "20040260685" "20030009651" "6,526,491" "6,128,724" "6,381,659" 2003/0055984 2002/0156993 2002/0138707 2002/0138701 2002/0138637 2002/0135582 2002/0095523 2002/0060690 2002/0046229 "6,559,854" 2001/0002130 "6,526,491"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:23
L7	103	L4 L5 L6 and (manag\$5 near10(processor or "CPU")) and (((secondary or backup) near5 (processor or "CPU")) with (application or program or routine or module)) with (operat\$3 adj4 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:23
L8	3	I3 and L7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:25
L9	51	(AGUILAR and MAXIMINO).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:25
L10	0	(AGUILAR and MAXIMINO).inv. and I7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:26
L11	3	(AGUILAR and MAXIMINO).inv. and I6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:27

EAST Search History

L12	6	(DAY and MICHAEL).inv. and l6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:28
L13	5	(NUTTER and MARK).inv. and l6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:29
L14	2	(STAFFORD and JAMES).inv. and l6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:29
L15	1	(ibm).asn. and l6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:29
S1	79710	application near5 (manag\$5 or ((direct\$3 or dynamic\$4 or automatic\$4) adj3 access\$3) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 15:53
S2	25	application near5 (((direct\$3 or dynamic\$4 or automatic\$4) adj3 access\$3 or (manag\$5)) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 15:53
S3	2	application near5 (((direct\$3 or dynamic\$4 or automatic\$4) adj3 (access\$3 or manag\$5)) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 15:55

EAST Search History

S4	12	application with (((direct\$3 or dynamic\$4 or automatic\$4) adj3 (access\$3 or manag\$5)) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 22:05
S5	1	application with (((direct\$3 or dynamic\$4 or automatic\$4) adj3 (access\$3 or manag\$5)) with (multiple or several or plurality or many) adj2 processors) same (operating near3 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 10:49
S6	2	application near5 (((direct\$3 or dynamic\$4 or automatic\$4) adj3 (access\$3 or manag\$5)) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 16:03
S7	2	(application or (software adj2 program)) near5 (((direct\$3 or dynamic\$4 or automatic\$4) adj3 (access\$3 or manag\$5)) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 16:04
S8	157	((application or (software adj2 program)) near5 (access\$3 or manag\$5)) with (multiple or several or plurality or many) adj2 processors)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 16:05
S9	9	((application or (software adj2 program)) near5 (access\$3 or manag\$5)) with (multiple or several or plurality or many) adj2 processors) same ((run\$4 or execut\$3 or operat\$3) near5 (operat\$3 adj3 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 16:06
S10	2	"6199179".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 22:06

EAST Search History

S11	0	"6199179".pn. and (application with secondary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:20
S12	1	"6199179".pn. and ((application or routine) with secondary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 14:26
S13	2	"5812843".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 10:56
S14	16	"5,835,775".pn. "6,049,668".pn. "6,513,057".pn. "6,381,693".pn. "7,080,242".pn. "7,134,007".pn. "5,359,721".pn. "20030188045"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 10:57
S15	79	"5,835,775".pn. "6,049,668".pn. "6,513,057".pn. "6,381,693".pn. "7,080,242".pn. "7,134,007".pn. "5,359,721".pn. "20030188045""7,143,419" "6,446,218" "20050081187" "20040181785" "5,307,495".pn. "6,981,072".pn. "7,167,916".pn. "20030045612" "7,043,579" "5,630,128"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 10:58
S16	24	"7,124,170".pn. "5,754,817".pn. "5,887,186".pn. "5,490,278".pn. "6,463,521".pn. "7,127,709".pn. "6,292,935".pn. "6,704,926".pn. "7,174,544".pn. "6,966,057".pn. "4,394,727".pn. "5,185,861".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 11:00

EAST Search History

S17	421	"4,862,354" "6,473,897" "4,787,057" "5,548,798" "20030074650" "6,480,818" "5,887,186" "5,490,278" "20030071840" "20040123188" "6,966,015" "20020120886" "5,692,193" "5,560,030" "5,689,722" "5,978,831" "20040260685" "20030009651" "6,526,491" "6,128,724" "6,381,659" 2003/0055984 2002/0156993 2002/0138707 2002/0138701 2002/0138637 2002/0135582 2002/0095523 2002/0060690 2002/0046229 "6,559,854" 2001/0002130 "6,526,491"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 11:03
S18	519	S15 S16 S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 11:03
S19	211	S15 S16 S17 and (manag\$5 near5 processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 11:04
S20	109	S15 S16 S17 and (manag\$5 near5 processor) and ((secondary or backup) near5 (processor or "CPU"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 11:05
S21	109	S15 S16 S17 and (manag\$5 near5 (processor or "CPU")) and ((secondary or backup) near5 (processor or "CPU"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 11:05
S22	109	S15 S16 S17 and (manag\$5 near10(processor or "CPU")) and ((secondary or backup) near5 (processor or "CPU"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 11:05

EAST Search History

S23	104	S15 S16 S17 and (manag\$5 near10(processor or "CPU")) and (((secondary or backup) near5 (processor or "CPU")) with (application or program or routine or module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 11:06
S24	103	S15 S16 S17 and (manag\$5 near10(processor or "CPU")) and (((secondary or backup) near5 (processor or "CPU")) with (application or program or routine or module)) with (operat\$3 adj4 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 11:07
S25	0	S18 and (manag\$5 near10(processor or "CPU")) and (((secondary or backup) near5 (processor or "CPU")) with (application or program or routine or module)) with (operat\$3 adj4 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 11:07
S26	0	S18 and (((secondary or backup) near5 (processor or "CPU")) with (application or program or routine or module)) with (operat\$3 adj4 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 11:07
S27	1	S18 and (((secondary or backup) near5 (processor or "CPU")) with (application or program or routine or module)) same (operat\$3 adj4 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 11:08
S28	2	"5812843".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 11:09
S29	2	"5812843".pn. and (convert\$3 or traduc\$3 or translat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 11:09

EAST Search History

S30	1	"5812843".pn. and (convert\$3 or traduc\$3 or translat\$3) with (application or instruction or code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 13:32
S31	7266	(operat\$3 adj3 system) near5 (translat\$3 or traduc\$3 or convert\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 13:32
S32	0	((operat\$3 adj3 system) near5 (translat\$3 or traduc\$3 or convert\$3)) with ((secondary or back-up or backup) adj2 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 13:34
S33	2	((operat\$3 adj3 system) near5 (translat\$3 or traduc\$3 or convert\$3)) with ((secondary or back-up or backup) adj2 (process\$3 or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 13:34
S35	0	((operat\$3 adj3 system) near5 (translat\$3 or traduc\$3 or convert\$3)) same ((secondary or back-up or backup) adj2 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 13:35
S36	2	((operat\$3 adj3 system) with (translat\$3 or traduc\$3 or convert\$3)) with ((secondary or back-up or backup) adj2 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 13:37
S37	1746	((operat\$3 adj3 system) with (translat\$3 or traduc\$3 or convert\$3)) with ((processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 13:37

EAST Search History

S38	47	((operat\$3 adj3 system) with (translat\$3 or traduc\$3 or convert\$3)) with ((second\$4 or backup or back-up or substitut\$3) near5 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 13:41
S39	47	((operat\$3 adj3 system) with (translat\$3 or traduc\$3 or convert\$3)) with ((second\$4 or backup or back-up) near5 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 13:42
S40	16	((operat\$3 adj3 system) with ((translat\$3 or traduc\$3 or convert\$3)) near5 (application instruction or code or command or messag\$3)) with ((second\$4 or backup or back-up) near5 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 13:50
S41	3	((operat\$3 adj3 system) adj3 ((translat\$3 or traduc\$3 or convert\$3)) near5 (application instruction or code or command or messag\$3)) same ((second\$4 or backup or back-up) near5 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 13:56
S42	0	((operat\$3 adj2 system) near5 (translat\$3 or traduc\$3 or convert\$3)) with ((secondary or backup) adj3 (processor or CPU))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 13:58
S43	1	((operat\$3 adj2 system) with (translat\$3 or traduc\$3 or convert\$3)) with ((secondary or backup) adj3 (processor or CPU))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 13:58
S44	1	"6199179".pn. and ((application or routine) with secondary) and (secondary with (control\$4 or traduc\$3 or translat\$3 or convert\$3) with (operating adj3 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 15:04

EAST Search History

S45	1	"6199179".pn. and (secondary with (control\$4 or traduc\$3 or translat\$3 or convert\$3) with (operating adj3 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 19:41
S46	1766	load\$3 near10 ((device or machine or apparatus) adj3 module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 19:42
S47	1	load\$3 near10 ((device or machine or apparatus) adj3 module) with ((secondary or back-up or backup) adj2 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 19:43
S48	17	Cellular adj2 IRIX	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 19:44
S49	0	(Cellular adj2 IRIX) with secondary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 19:44
S50	5	(Cellular adj2 IRIX) and secondary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 19:44
S51	5	(Cellular adj2 IRIX) and (secondary adj3 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 19:52

EAST Search History

S52	1	(load\$3 near5 (device adj3 module))with (secondary adj3 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:01
S53	1	((load\$3 or fetch\$3)near5 (device adj3 module))with (secondary adj3 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:01
S54	1	((load\$3 or fetch\$3)near5 (device adj3 module))with ((secondary or backup or back-up or back-end) adj3 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:01
S55	4	((load\$3 or fetch\$3)near5 (module))with ((secondary or backup or back-up or back-end) adj3 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:04
S56	2	((load\$3 or fetch\$3)near5 (module))with ((secondary or backup or back-up or back-end) adj3 (processor or cpu))with (operat\$3 adj4 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:02
S57	4	((load\$3)near5 (module))with ((secondary or backup or back-up or back-end) adj3 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:05
S58	9	((load\$3)near5 (module or component))with ((secondary or backup or back-up or back-end) adj3 (processor or cpu))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:08

EAST Search History

S59	2	((load\$3)near5 (module or component))with ((secondary or backup or back-up or back-end) adj3 (processor or cpu)) with (operat\$3 adj3 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:06
S60	2	((load\$3)near5 (module or component))with ((secondary or backup or back-up or back-end) adj3 (processor or cpu)) same (operat\$3 adj3 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:06
S61	1	"SPU" near5 device near5 module	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:08
S62	148474	device near5 module	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:08
S63	362	load\$3 near10(device near5 module) with application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:09
S64	5010	load\$3 near10(device near5 (application or program or function or module)) with (processor or CPU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:10
S65	2	load\$3 near10(device near5 (application or program or function or module)) with ((secondary or backup or back-up or back-end) adj3(processor or CPU))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:11

EAST Search History

S66	1	"6199179".pn. and (application with console)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:20
S67	1	"6199179".pn. and (application with console with operat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:21
S68	1	"6199179".pn. and ((application or console) with operat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:21
S69	0	"6199179".pn. and ((application or console) with operat\$3 with secondary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:21
S70	0	"6199179".pn. and ((application or console or program) with operat\$3 with secondary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:22
S71	1	"6199179".pn. and ((application or console or program) with operat\$3 same\ secondary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:22
S72	0	"6199179".pn. and ((application or console or program) with operat\$3 same secondary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:22

EAST Search History

S73	99	load\$3 near5((application or console or program) with operat\$3 same secondary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:22
S74	69	load\$3 near5((application or console or program) with operat\$3 with secondary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 20:23
S75	6	load\$3 near5((application or console or program) with operat\$3 with secondary near3 (processor or CPU))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 21:08
S76	9	load\$3 near5((application or console or program) with operat\$3 with ((backup or back-up or slave or secondary) near3 (processor or CPU)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 21:09
S77	10	load\$3 near5((application or console or program module) with operat\$3 with ((backup or back-up or slave or secondary) near3 (processor or CPU)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 21:09
S78	1	load\$3 near5((application or console or program module) with (operat\$3 near5 system) with ((backup or back-up or slave or secondary) near3 (processor or CPU)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 21:10
S79	94	load\$3 near5((application or console or program module) with ((backup or back-up or slave or secondary) near3 (processor or CPU)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 21:10

EAST Search History

S80	10	load\$3 near5((application or console or program module) with ((backup or back-up or slave or secondary) near3 (processor or CPU)))same (operat\$3 near5 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 21:22
S81	257645	load\$3 near10 (module or application or program or subroutine or routine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 21:23
S82	23779	load\$3 near10 (module or application or program or subroutine or routine) with (relat\$3 or correspond\$3 or match\$3 or associat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 21:24
S83	1839	load\$3 near10 (module or application or program or subroutine or routine) with (relat\$3 or correspond\$3 or match\$3 or associat\$3) with (processor or CPU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 21:24
S84	18	load\$3 near10 (module or application or program or subroutine or routine) with (relat\$3 or correspond\$3 or match\$3 or associat\$3) with ((secondary or tertiary or backup or back-up or backend or back-end or slave)near5 (processor or CPU))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 21:50
S85	0	load\$3 near10 (module or application or program or subroutine or routine) with (relat\$3 or correspond\$3 or match\$3 or associat\$3) with ((secondary or tertiary or backup or back-up or backend or back-end or slave)near5 (processor or CPU)) with (operating adj4 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 21:26

EAST Search History

S86	0	load\$3 near10 (module or application or program or subroutine or routine) with (relat\$3 or correspond\$3 or match\$3 or associat\$3) with ((secondary or tertiary or backup or back-up or backend or back-end or slave)near5 (processor or CPU)) same (operating adj4 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 21:26
S87	1	S84 and "6996699".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 21:55
S88	1	S84 and "6996699".pn. and (load\$3 near\$3 (application or program\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/12 21:56
S89	1	S84 and "6996699".pn. and (load\$3 near\$3 (application or program\$3)) with secondary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 00:22